



ABOUT

Surya Panel Private Limited (SPPL) presents an assortment of laminate flooring solutions ("Surya Click Laminate Flooring") that are bound to sweep you off your feet. State of the art manufacturing plant located at the serene foothills of the South-Western Ghats in Chikmagalur, Karnataka, SPPL takes pride in being one of the India's largest manufacturer of HDF Laminate Flooring.

Surya Click Laminate Flooring comes with varied features like vintage impression, characterful swirls, subdued shafts, knots & cracks which brings out the striking true-to-nature hard wooden flooring looks. All these extraordinary features are exclusively designed to meet the requirements of residential as well as commercial flooring. In addition, these designs are available in a wide range of grades including AC3, AC4 and AC5 HDF Laminate Flooring.

Further, Surya Click Laminate Flooring comes with innovative click technology, which is time-saving and cost-efficient. The strength of the locking system not only makes the flooring more durable but also ensures quick installation and an impeccable finish. This revolutionary flooring technology is unquestionably your one-stop solution for stunning maintenance-free floor designs.

LAYERS

Top Layer

High Abrasion Resistant Overlay

Second Layer

Decorative Design Layer


Middle Layer

100% Hardwood HDF Core

Base Layer

Moisture Resistant Backing Layer

STRUCTURE



Surya Click - HDF Laminate Flooring

A smart flooring solution that's faster, better, easy to install, Surya Click is a HDF Laminate flooring that can be installed fast. With inter-lock technology, this flooring allows glue-free installation. We offer an extensive range of finishes & designs that are elegant and timeless.

With exclusive patterns and an assortment of shades, these floor panels are suitable for bedrooms, exquisite villas, exciting workplaces and more. Surya Click's technology, with its innovative 'one-click' method is both, time-saving and cost-efficient.

- Termite, Borer & Fungus Resistant
- Environment Friendly
- Easy to Install
- Easy to Clean & Maintain
- Cigarette Burn Resistant
- Glue Free Installation
- Stain & Impact Resistant

Product Range:

Regular:

Surya Click Regular HDF Laminate Flooring is available in 8 mm thickness with plank size 181 mm x 1190 mm in AC3 & AC4 grade. This laminate flooring is extremely resilient with fast installation and beautiful designs.

Premium:


Surya Click Premium HDF Laminate Flooring is available in 12 mm thickness with plank size 181 mm x 1190 mm in AC4 grade only thicker plank feels more like a hardwood floor underfoot and is impact resistant.


Canvas Series:

Surya Click Canvas Series HDF Laminate Flooring is available in 8 mm & 12 mm thickness with plank size 220 mm x 1190 mm in AC4 grade only. This flooring is bigger with wide plank size which has fewer seams, easy to install and makes small area larger in appearance.




APPLICATIONS
























SURYA CLICK MAINTENANCE TIPS FOR LONG LASTING FLOORING

- ► Clean your floor using a microfiber mop and wooden floor cleaning spray.
- ▶ Wipe away water spills immediately.
- ► Sweep away dust and dirt on day-to-day basis.
- ▶ Refrain from dragging heavy objects across the floor.
- ▶ Avoid steam mop, wet mop, furniture polish or abrasive products on the floor.
- ▶ Good quality door mat is recommended before entrance of the room for long-lasting Flooring.



TECHNICAL SPECIFICATION SURYA CLICK REGULAR

PRODUCT FEATURE	TEST STANDARD	AC 3	AC 4
Abrasion Resistance	EN13329	AC 3	AC 4
Impact Resistance	EN13329	IC1	IC1
Stain Resistance	EN438	Group 5	Group 5
Cigarette Burns	EN438	Class 5	Class 5
Light Fastness	EN20105/A02	Class 7	Class 7
Furniture Legs	EN426	No Damage	No Damage
Chair Caster (Soft Roll)	EN425	No Damage	No Damage
Thickness Swelling	EN13329	≤18%	≤18%
Static Indentation	EN433	0.9 N/mm²	0.9 N/mm²
Flame Resistance	EN13501	CFL-S1	CFL-S1
Floor Design Dimensions		1190mm x 181mm x 8mm	1190mm x 181mm x 8mm

Thickness 8 mm

TECHNICAL SPECIFICATION SURYA CLICK PREMIUM

PRODUCT FEATURE	TEST STANDARD	AC 4
Abrasion Resistance	EN13329	AC 4
Impact Resistance	EN13329	IC1
Stain Resistance	EN438	Group 5
Cigarette Burns	EN438	Class 5
Light Fastness	EN20105/A02	Class 7
Furniture Legs	EN426	No Damage
Chair Caster (Soft Roll)	EN425	No Damage
Thickness Swelling	EN13329	≤12%
Static Indentation	EN433	0.9 N/mm²
Flame Resistance	En13501	CFL-S1
Impact Sound Resolution	ISO 717-2	20-22 DB
Edge Treatment		Wax Coated
Floor Design Dimensions		1190mm x 181mm x 12mm

Thickness 12 mm

TECHNICAL SPECIFICATION SURYA CLICK CANVAS SERIES

PRODUCT FEATURE	TEST STANDARD	AC 4
Abrasion Resistance	EN13329	AC 4
Impact Resistance	EN13329	IC1
Stain Resistance	EN438	Group 5
Cigarette Burns	EN438	Class 5
Light Fastness	EN20105/A02	Class 7
Furniture Legs	EN426	No Damage
Chair Caster (Soft Roll)	EN425	No Damage
Thickness Swelling	EN13329	≤12%
Static Indentation	EN433	0.9 N/mm²
Flame Resistance	EN13501	CFL-S1
Floor Design Dimensions		1190mm x 220mm x 8mm/12mm





15002 | HISTORIC PINE LIGHT





15004 | TAVERN OAK LIGHT

TI AC4



15006 | TAVERN OAK BROWN









15008 | SYMPHONY OAK





15013 | SONOMA OAK LIGHT





15014 | SONOMA OAK DARK







15016 | CANYON MONUMENT OAK LIGHT





15017 | CANYON MONUMENT OAK DARK





15021 | LYON WALNUT



15022 | COLUMBIA WALNUT



15024 | PERFECT OAK









15025 | SELECTIVE TEAK





15026 | ANTIQUE OAK





15027 | PALACE EICHE





15028 | ERLE COUNTRY





15030 | NUSSABAUM HARMONY





15031 | FISKBEIN LIGHT









15032 | FISKBEIN DARK





15049 | ROSE WOOD





15050 | CHALET OAK DARK





T7 AC4 15051 | GREYSTONE



15052 | LATIN WALNUT LIGHT



15053 | ABSOLUTE WOOD DARK











15054 | NOVECENTO PINE





15055 | BROWN RIMINI WALNUT





15056 | CHERRY TENNESSEE





15057 | ANGOLA WALNUT DARK





15058 | MERAPI WALNUT





15059 | BONITO











TI AC4 15060 | AMSTERDAM



15061 | SYNC OAK BROWN



15062 | CANYON WOOD BROWN





15063 | ODIN EICHE LIGHT





15064 | BRATTY OAK GREY





15065 | OLD SCHOOL OAK







FLOORING THAT WILL SWEEP YOU OFF YOUR FEET

Surya Click Premium presents, a carefully chosen an artistically designed range of 14 refreshing Wooden Designs that are bound to make a statement. This excellent curation of smart floor selections is your go-to-guide for contemporary floor designs.

With exclusive patterns and an assortment of shades, these floor panels are suitable for bedrooms, villas, workplaces and many more.

Surya Click laminate flooring comes with innovative click technology, time saving and cost efficient methodology.

Surya Click Premium, with its revolutionary flooring technology is unquestionably your one-stop solution for stunning maintenance-free floor designs.



PREMIUM SERIES





15035 | ELMO



15036 | TEAK ALLOVER



PREMIUM SERIES





15038 | RUBY ALLOVER





15039 | RELIEF OAK ALLOVER





15040 | MARGO ALLOVER





PREMIUM SERIES





15041 | IMPIANA NYATOH





15042 | KAHLUA OAK ALLOVER





15043 | LIFE OAK



PREMIUM SERIES





15044 | CANYON CHERRY





15045 | CANYON FJORD OAK





15046 | CANYON AUTHENTIC WALNUT





PREMIUM SERIES





15047 | CANYON PEKON













15066 | Chatham Oak



15067 | Clashmoore Oak



15068 | Girona Walnut Brown





15069 | Girona Walnut Grey





15070 | Jarrah





15071 | Mauvella Oak









15072 | Pembroke Walnut





15073 | White Oiled Oak Natural Light





15074 | White Oiled Oak Natural Brown





15075 | Oak Rustic



15076 | Walnut Mocca



15077 | Oak Coffee Brown Dark









Download E - Catalogue

Marketed by:





SURYA PANEL PRIVATE LIMITED

Registered Office: Plot No. 62-K, Phase-II, Amble Industrial Area, Chikmagalur, Karnataka-577101. India.

Contact Us: Ph. No.: +91-79-61400400 | info@surya-panel.com | www.suryaclick.com Toll-Free No.: 1800 233 7952 | Fax No.: +91-79-61400401





